

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

rac-N-Benzylisatincreatinine (unknown solvate)

Narsimha Reddy Penthala and Peter A. Crooks*

Department of Pharmaceutical Sciences, College of Pharmacy, University of Arkansas for Medical Sciences, Little Rock, AR 72205, USA Correspondence e-mail: pacrooks@uams.edu

Received 11 December 2012; accepted 4 January 2013

Key indicators: single-crystal X-ray study; T = 90 K; mean $\sigma(C-C) = 0.002 \text{ Å}$; disorder in main residue; R factor = 0.038; wR factor = 0.104; data-to-parameter ratio = 12.6.

The title compound, $C_{19}H_{18}N_4O_3$ [systematic name: (RS)-1benzyl-3-hydroxy-3-(2-imino-3-methyl-5-oxoimidazolidin-4yl)-2,3-dihydro-1*H*-indol-2-one], was prepared as a racemate (RR and SS) by the aldol condensation of N-benzylisatin with creatinine in the presence of sodium acetate in acetic acid. The r.m.s. deviation of the isatin ring system is 0.033 Å. The benzyl group is disordered over two orientations, with refined occupancies of 0.847 (7) and 0.153 (7). The dihedral angles between the isatin ring system and the benzene ring (major disorder component) and the imidazole ring are 82.82 (7) and 51.31 (3)°, respectively, In the crystal, molecules are linked into (001) sheets by N-H···O and O-H···N hydrogen bonds, which incorporate $R_2^2(9)$ ring motifs. The crystal was grown from mixed solvents (ethanol, methanol and possibly also ethyl acetate). These solvents are disordered in the crystal and the resulting electron density was found to be uninterpretable. The solvent contribution to the scattering was removed with the SQUEEZE routine in PLATON [Spek (2009). Acta Cryst. D65, 148-155]. The formula mass and density do not take account of the solvent.

Related literature

For details on the development of isatin derivatives as anticancer agents, see: Penthala *et al.* (2010*a,b*). For similar structures, see: Tang *et al.* (2009); Penthala *et al.* (2009*a,b*).

Experimental

Crystal data

 $\begin{array}{lll} {\rm C_{19}H_{18}N_4O_3} & & V = 3911.43 \ (12) \ \mathring{\rm A}^3 \\ M_r = 350.37 & Z = 8 \\ {\rm Orthorhombic}, Pbca & {\rm Cu} \ K\alpha \ {\rm radiation} \\ a = 13.4466 \ (2) \ \mathring{\rm A} & \mu = 0.68 \ {\rm mm}^{-1} \\ b = 10.6921 \ (2) \ \mathring{\rm A} & T = 90 \ {\rm K} \\ c = 27.2057 \ (5) \ \mathring{\rm A} & 0.12 \times 0.10 \times 0.04 \ {\rm mm} \end{array}$

Data collection

Bruker X8 Proteum CCD 55165 meass diffractometer 3602 indepe Absorption correction: multi-scan (SADABS; Bruker, 2006) $R_{int} = 0.043$ $T_{min} = 0.911, T_{max} = 0.973$

55165 measured reflections 3602 independent reflections 3344 reflections with $I > 2\sigma(I)$

Refinement

 $\begin{array}{ll} R[F^2>2\sigma(F^2)]=0.038 & 222 \text{ restraints} \\ wR(F^2)=0.104 & \text{H-atom parameters constrained} \\ S=1.04 & \Delta\rho_{\max}=0.28 \text{ e Å}^{-3} \\ 3602 \text{ reflections} & \Delta\rho_{\min}=-0.30 \text{ e Å}^{-3} \end{array}$

Table 1 Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
$O9-H9\cdots N12^{i}$ $N13-H13A\cdots O11^{ii}$ $N13-H13B\cdots O1^{iii}$	0.84 0.88 0.88	1.97 2.24 1.97	2.8065 (13) 2.9321 (13) 2.8410 (14)	175 135 173
Symmetry codes: $-x + 1, y + \frac{1}{2}, -z + \frac{3}{2}$.	(i) $-x + 1$	$y - \frac{1}{2}, -z + \frac{3}{2};$	(ii) $x + \frac{1}{2}, y,$	$-z + \frac{3}{2}$; (iii)

Data collection: *APEX2* (Bruker, 2006); cell refinement: *SAINT* (Bruker, 2006); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *XP* in *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELX97*.

This investigation was supported by NIH/National Cancer Institute grant RO1 CA140409.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB7013).

organic compounds

References

Bruker (2006). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.

Penthala, N. R., Reddy, T. R. Y., Nikhil, R. M. & Crooks, P. A. (2010a). Bioorg. Med. Chem. Lett. 20, 4468–4471.

Penthala, N. R., Reddy, T. R. Y., Nikhil, R. M. & Crooks, P. A. (2010b). *Bioorg. Med. Chem. Lett.* **20**, 591—593.

Penthala, N. R., Reddy, T. R. Y., Parkin, S. & Crooks, P. A. (2009a). *Acta Cryst*. E65, o552.

Penthala, N. R., Reddy, T. R. Y., Parkin, S. & Crooks, P. A. (2009b). *Acta Cryst*. E65, o2909–o2910.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Spek, A. L. (2009). Acta Cryst. D65, 148-155.

Tang, Y., Chen, G., Zhang, J. & Chen, S. (2009). Acta Cryst. E65, o2597.

Acta Cryst. (2013). E69, o290-o291 [doi:10.1107/S1600536813000378]

rac-N-Benzylisatincreatinine (unknown solvate)

Narsimha Reddy Penthala and Peter A. Crooks

Comment

In continuation of our work on the development of anti-cancer agents (Penthala $et\ al.$, 2010a,b), we have synthesized a series of new compounds containing isatin and creatinine moieties to screen for anticancer activity against a panel of 60 human cancer cell lines (Penthala $et\ al.$, 2010a). The title compound was prepared by the aldol condensation of N-benzylindol-2,3-dione (N-benzylisatin) with 2-amino-1-methyl-1H-imidazol-4(5H)-one (creatinine) in the presence of sodium acetate in acetic acid. Earlier, we reported on the crystal structure of isatin creatinine analogs containing N-methyl and N-phenyl substituents (Penthala $et\ al.$, 2009a,b). To obtain detailed information on the structural conformations of the molecules for analysis of structure-activity relationships (SAR), we determined the X-ray crystal structure of the title compound (Fig. 1). In the crystal, the benzyl group is disordered over two positions, with refined occupancies of 0.847 (7) and 0.153 (7). The isatin ring is almost planar, with r.m.s deviations from the mean plane = 0.0508 (11) Å, and with bond distances and angles comparable to those reported for other isatin derivatives (Tang $et\ al.$, 2009). The benzene ring of the benzyl group makes a dihedral angle with the mean plane of the isatin ring of 82.82 (7)°. The title compound was isolated as a racemate (RR and SS). In the crystal, the molecules are linked into 2-D pleated-sheet networks in the ab plane by a series of intermolecular N—H—O and O—H—N hydrogen bonds. Within these sheets, the hydrogen bonds O9—H-N12, N13—H13A-O11 and N13—H13B-O11 create R^2 2(9) ring motifs.

Experimental

The title compound was prepared according to a previously reported procedure (Penthala *et al.*, 2009*a,b*). Recrystallization from ethanol afforded the title compound as pale yellow plates. Spectroscopic data for *rac-N*-benzylisatincreatinine: 1 H NMR (DMSO- d_6): δ 3.17 (s, 3H, CH₃), 4.21 (s, 1H, CH), 4.74–4.91 (ABq, J= 16.2 Hz), 6.57 (s, 1H, OH), 6.64–6.67 (d, J= 8.1 HZ, 1H, -C₄H), 6.91–6.96 (t, J=7.5 Hz, 1H, -C₅H), 7.11–7.34 (m, 5H, -C₆H, -C₇H and Ar—H), 7.45–7.47 (d, J=7.2 Hz, 2H, Ar—H),7.56 (bs, 2H, NH₂); 13 C NMR (DMSO- d_6): δ 32.67, 42.89, 69.52, 76.02, 108.99, 121.89, 123.72, 126.99, 127.14 (2 C) 127.43, 128.22 (2 C), 129.34, 136.01, 143.15, 171.96 (C=N), 174.42 (isatin C=O), 182.26 (creatinine C=O).

Refinement

H atoms were found in difference Fourier maps and subsequently placed in idealized positions with constrained distances of 0.98 Å (RCH₃), 0.99 Å (R_2 CH₂), 1.00 Å (R_3 CH), 0.95 Å (C_{Ar} H), 0.84 Å (O—H), 0.88 Å (N—H), and with U_{iso} (H) values set to either 1.2 U_{eq} or 1.5 U_{eq} (RCH₃, OH) of the attached atom.

The benzyl ring is disordered over two positions with refined occupancy factors of 0.847 (7) and 0.153 (7). To ensure stable refinement of the minor component, a number of constraints and restraints were applied. The constraint (an *SHELXL97* EADP instruction on atoms C16 and C16') forces the displacement parameters for these nearly superimposed atoms to be equal. The restraints (*SHELXL97* commands SAME, FLAT, DELU and SIMU) ensure chemically and

physically reasonable parameters for the disordered atoms.

The solvent used to grow the crystal was a mixture of ethanol and methanol, but it likely also contained an unknown amount of ethyl acetate. The resulting electron density was largely uninterpretable. It was decided to remove it with the SQUEEZE routine in *PLATON* (Spek, 2009).

Computing details

Data collection: *APEX2* (Bruker, 2006); cell refinement: *SAINT* (Bruker, 2006); data reduction: *SAINT* (Bruker, 2006); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *XP* (Sheldrick, 2008); software used to prepare material for publication: *SHELX97* (Sheldrick, 2008).




Figure 1A view of (I). Displacement ellipsoids are drawn at the 50% probability level.




Figure 2
Hydrogen bonding in the crystal structure of (I). Dashed lines represent hydrogen bonds.

1-Benzyl-3-hydroxy-3-(2-imino-3-methyl-5-oxoimidazolidin-4-yl)- 2,3-dihydro-1*H*-indol-2-one

Crystal data

 $C_{19}H_{18}N_4O_3$ $M_r = 350.37$ Orthorhombic, PbcaHall symbol: -P 2ac 2ab a = 13.4466 (2) Å b = 10.6921 (2) Å c = 27.2057 (5) Å V = 3911.43 (12) Å³ Z = 8

Data collection

Bruker X8 Proteum CCD diffractometer Radiation source: fine-focus rotating anode Graded multilayer optics monochromator Detector resolution: 5.6 pixels mm⁻¹ φ and ω scans Absorption correction: multi-scan (SADABS; Bruker, 2006) $T_{\min} = 0.911$, $T_{\max} = 0.973$

F(000) = 1472 $D_x = 1.190 \text{ Mg m}^{-3}$ $\text{Cu } K\alpha \text{ radiation, } \lambda = 1.54178 \text{ Å}$ Cell parameters from 9086 reflections $\theta = 4.6-68.9^{\circ}$ $\mu = 0.68 \text{ mm}^{-1}$ T = 90 KPlate, pale yellow $0.12 \times 0.10 \times 0.04 \text{ mm}$

55165 measured reflections 3602 independent reflections 3344 reflections with $I > 2\sigma(I)$ $R_{\rm int} = 0.043$ $\theta_{\rm max} = 68.7^{\circ}, \ \theta_{\rm min} = 4.6^{\circ}$ $h = -16 {\rightarrow} 16$ $k = -12 {\rightarrow} 12$ $l = -32 {\rightarrow} 31$

Refinement

Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.038$ $wR(F^2) = 0.104$ S = 1.043602 reflections 287 parameters

222 restraints Primary atom site location: structure-invariant

Secondary atom site location: difference Fourier

Hydrogen site location: inferred from neighbouring sites H-atom parameters constrained $w = 1/[\sigma^2(F_0^2) + (0.0555P)^2 + 1.5834P]$ where $P = (F_0^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} = 0.001$ $\Delta \rho_{\text{max}} = 0.28 \text{ e Å}^{-3}$ $\Delta \rho_{\min} = -0.30 \text{ e Å}^{-3}$ Extinction correction: SHELXL97 (Sheldrick,

2008), $Fc^*=kFc[1+0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.00043 (9)

Special details

direct methods

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\hat{A}^2)

	x	у	Z	$U_{ m iso}$ */ $U_{ m eq}$	Occ. (<1)
O1	0.34991 (6)	0.33786 (8)	0.64888 (3)	0.0243 (2)	
C1	0.41054 (9)	0.42315 (12)	0.65145 (4)	0.0212(3)	
N2	0.40105 (8)	0.53751 (10)	0.63017 (4)	0.0240(2)	
C3	0.48704 (9)	0.61071 (13)	0.63800 (4)	0.0252 (3)	
C4	0.50442 (11)	0.73157 (14)	0.62246 (5)	0.0339(3)	
H4	0.4551	0.7781	0.6054	0.041*	
C5	0.59772 (12)	0.78247 (14)	0.63292 (6)	0.0396 (4)	
H5	0.6120	0.8657	0.6229	0.047*	
C6	0.66974 (11)	0.71461 (14)	0.65753 (5)	0.0359(3)	
Н6	0.7331	0.7508	0.6635	0.043*	
C7	0.64986 (10)	0.59308 (13)	0.67374 (5)	0.0283 (3)	
H7	0.6990	0.5464	0.6909	0.034*	
C8	0.55730 (9)	0.54224 (12)	0.66432 (4)	0.0231(3)	
O9	0.56962 (6)	0.31592 (8)	0.66485 (3)	0.0238(2)	
Н9	0.5498	0.2516	0.6796	0.036*	
C9	0.51144 (9)	0.41884 (11)	0.67907 (4)	0.0202(3)	
C10	0.49128 (8)	0.41474 (11)	0.73572 (4)	0.0180(3)	
H10	0.4592	0.3339	0.7453	0.022*	
O11	0.34262 (6)	0.54407 (8)	0.74190(3)	0.0234(2)	
C11	0.42968 (9)	0.52621 (11)	0.75378 (4)	0.0188 (3)	
N12	0.48658 (7)	0.60115 (9)	0.78275 (4)	0.0200(2)	
N13	0.65376 (7)	0.59593 (10)	0.80798 (4)	0.0228 (2)	
H13A	0.7113	0.5567	0.8086	0.027*	
H13B	0.6474	0.6691	0.8224	0.027*	

C13	0.57697 (9)	0.54496 (11)	0.78532 (4)	0.0188 (3)	
N14	0.58264 (7)	0.43382 (9)	0.76280(3)	0.0185 (2)	
C14	0.66413 (9)	0.34513 (12)	0.76781 (5)	0.0240(3)	
H14A	0.7141	0.3616	0.7424	0.036*	
H14B	0.6386	0.2598	0.7640	0.036*	
H14C	0.6945	0.3543	0.8004	0.036*	
C15	0.31240 (10)	0.58041 (13)	0.60432 (5)	0.0262(3)	
H15A	0.2929	0.6630	0.6176	0.031*	
H15B	0.2574	0.5214	0.6111	0.031*	
C16	0.3251 (2)	0.5920(3)	0.54852 (14)	0.0295 (5)	0.847 (7)
C17	0.2898 (2)	0.6974 (3)	0.52528 (8)	0.0565 (8)	0.847 (7)
H17	0.2631	0.7645	0.5440	0.068*	0.847 (7)
C18	0.2932 (3)	0.7056 (3)	0.47406 (8)	0.0724 (11)	0.847 (7)
H18	0.2687	0.7783	0.4580	0.087*	0.847 (7)
C19	0.3315 (2)	0.6099 (3)	0.44696 (10)	0.0573 (8)	0.847 (7)
H19	0.3337	0.6159	0.4121	0.069*	0.847 (7)
C20	0.3668 (3)	0.5051 (4)	0.46988 (15)	0.0397 (7)	0.847 (7)
H20	0.3936	0.4384	0.4509	0.048*	0.847 (7)
C21	0.3636 (3)	0.4957 (4)	0.52102 (15)	0.0313 (7)	0.847 (7)
H21	0.3881	0.4227	0.5368	0.038*	0.847 (7)
C16′	0.3153 (14)	0.5782 (19)	0.5524 (9)	0.0295 (5)	0.153 (7)
C17'	0.2496 (12)	0.6474 (16)	0.5261 (4)	0.054(2)	0.153 (7)
H17'	0.2047	0.7002	0.5433	0.065*	0.153 (7)
C18′	0.2450 (13)	0.6442 (17)	0.4741 (4)	0.060(2)	0.153 (7)
H18′	0.1982	0.6935	0.4565	0.072*	0.153 (7)
C19'	0.3107 (13)	0.5673 (16)	0.4500 (6)	0.054(2)	0.153 (7)
H19′	0.3098	0.5632	0.4151	0.065*	0.153 (7)
C20'	0.3770 (18)	0.497 (2)	0.4756 (9)	0.042(2)	0.153 (7)
H20'	0.4220	0.4438	0.4587	0.050*	0.153 (7)
C21'	0.3787 (17)	0.503 (2)	0.5264 (9)	0.033 (2)	0.153 (7)
H21'	0.4255	0.4533	0.5439	0.040*	0.153 (7)

Atomic displacement parameters (\mathring{A}^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0232 (4)	0.0268 (5)	0.0229 (4)	-0.0029(4)	-0.0027(3)	0.0017 (4)
C1	0.0227 (6)	0.0254(6)	0.0154 (5)	-0.0006(5)	0.0014 (4)	0.0013 (5)
N2	0.0241 (5)	0.0277 (6)	0.0202 (5)	-0.0014(4)	-0.0022(4)	0.0059 (4)
C3	0.0273 (6)	0.0290(7)	0.0193 (6)	-0.0040(5)	0.0020 (5)	0.0038 (5)
C4	0.0402 (8)	0.0320(7)	0.0295 (7)	-0.0029(6)	-0.0008(6)	0.0104(6)
C5	0.0493 (9)	0.0330(8)	0.0364 (8)	-0.0140 (7)	0.0008 (7)	0.0116 (6)
C6	0.0373 (8)	0.0409(8)	0.0295 (7)	-0.0162 (6)	0.0000(6)	0.0063 (6)
C7	0.0280(7)	0.0359(7)	0.0210(6)	-0.0067(6)	0.0015 (5)	0.0040 (5)
C8	0.0257 (6)	0.0276 (6)	0.0161 (6)	-0.0036(5)	0.0023 (5)	0.0027 (5)
Э9	0.0236 (4)	0.0257 (5)	0.0221 (4)	0.0010(3)	0.0040(3)	-0.0004(3)
C9	0.0199 (6)	0.0230(6)	0.0178 (6)	-0.0008(5)	0.0006 (4)	0.0010(4)
C10	0.0172 (6)	0.0189 (6)	0.0178 (6)	-0.0008(4)	-0.0004(4)	0.0016 (4)
D11	0.0178 (4)	0.0229 (4)	0.0295 (5)	0.0006(3)	-0.0024(3)	0.0009(3)
C11	0.0181 (6)	0.0203 (6)	0.0179 (5)	-0.0011(4)	0.0011 (4)	0.0040(4)

N12	0.0182 (5)	0.0209 (5)	0.0208 (5)	0.0006 (4)	-0.0003(4)	-0.0001(4)
N13	0.0191 (5)	0.0234 (5)	0.0258 (5)	0.0024 (4)	-0.0041(4)	-0.0046(4)
C13	0.0196 (6)	0.0223 (6)	0.0146 (5)	-0.0002(5)	0.0007 (4)	0.0031 (4)
N14	0.0181 (5)	0.0187 (5)	0.0186 (5)	0.0014 (4)	-0.0015 (4)	0.0001 (4)
C14	0.0198 (6)	0.0215 (6)	0.0308 (6)	0.0028 (5)	-0.0044(5)	-0.0001(5)
C15	0.0248 (6)	0.0340(7)	0.0199 (6)	0.0057 (5)	0.0006 (5)	0.0044 (5)
C16	0.0267 (10)	0.0427 (11)	0.0191 (9)	0.0057 (7)	0.0021 (7)	0.0076 (7)
C17	0.0808 (19)	0.0593 (16)	0.0294 (9)	0.0366 (14)	0.0088 (11)	0.0144 (10)
C18	0.106(2)	0.078(2)	0.0330 (10)	0.0440 (19)	0.0066 (13)	0.0227 (12)
C19	0.0693 (17)	0.083(2)	0.0196 (9)	0.0199 (15)	0.0079 (10)	0.0136 (12)
C20	0.0358 (13)	0.0602 (14)	0.0230 (14)	0.0012 (11)	0.0021 (10)	-0.0050(11)
C21	0.0316 (15)	0.0380 (11)	0.0243 (14)	-0.0012(10)	-0.0027(9)	-0.0008(9)
C16′	0.0267 (10)	0.0427 (11)	0.0191 (9)	0.0057 (7)	0.0021 (7)	0.0076 (7)
C17′	0.068 (4)	0.064 (4)	0.030(3)	0.024 (4)	0.005 (4)	0.012 (4)
C18′	0.081 (5)	0.072 (5)	0.026(3)	0.031 (4)	-0.002(4)	0.019 (4)
C19′	0.069 (4)	0.075 (5)	0.019 (4)	0.014 (4)	-0.001(4)	0.008 (4)
C20'	0.044 (4)	0.059 (4)	0.023 (4)	0.005 (4)	0.000(4)	0.001 (4)
C21'	0.029 (4)	0.051 (4)	0.020 (4)	-0.003 (4)	-0.001 (4)	0.004 (4)

Geometric parameters (Å, °)

F	, ,		
O1—C1	1.2253 (15)	C14—H14A	0.9800
C1—N2	1.3588 (16)	C14—H14B	0.9800
C1—C9	1.5516 (16)	C14—H14C	0.9800
N2—C3	1.4124 (17)	C15—C16′	1.41 (2)
N2—C15	1.4582 (16)	C15—C16	1.533 (4)
C3—C4	1.3796 (19)	C15—H15A	0.9900
C3—C8	1.3933 (18)	C15—H15B	0.9900
C4—C5	1.397 (2)	C16—C21	1.374 (3)
C4—H4	0.9500	C16—C17	1.377 (3)
C5—C6	1.383 (2)	C17—C18	1.397 (3)
C5—H5	0.9500	C17—H17	0.9500
C6—C7	1.398 (2)	C18—C19	1.362 (4)
С6—Н6	0.9500	C18—H18	0.9500
C7—C8	1.3821 (18)	C19—C20	1.368 (4)
C7—H7	0.9500	C19—H19	0.9500
C8—C9	1.5107 (17)	C20—C21	1.396 (3)
O9—C9	1.4046 (15)	C20—H20	0.9500
O9—H9	0.8400	C21—H21	0.9500
C9—C10	1.5654 (16)	C16′—C17′	1.357 (16)
C10—N14	1.4468 (14)	C16′—C21′	1.368 (17)
C10—C11	1.5322 (16)	C17'—C18'	1.418 (13)
C10—H10	1.0000	C17'—H17'	0.9500
O11—C11	1.2295 (14)	C18′—C19′	1.373 (15)
C11—N12	1.3597 (16)	C18′—H18′	0.9500
N12—C13	1.3576 (15)	C19′—C20′	1.359 (16)
N13—C13	1.3204 (15)	C19'—H19'	0.9500
N13—H13A	0.8800	C20′—C21′	1.385 (17)
N13—H13B	0.8800	C20′—H20′	0.9500
C13—N14	1.3392 (16)	C21'—H21'	0.9500

N14—C14	1.4555 (15)		
O1—C1—N2	125.66 (11)	N14—C14—H14B	109.5
O1—C1—C9	125.97 (11)	H14A—C14—H14B	109.5
N2—C1—C9	108.37 (10)	N14—C14—H14C	109.5
C1—N2—C3	110.95 (10)	H14A—C14—H14C	109.5
C1—N2—C15	124.43 (11)	H14B—C14—H14C	109.5
C3—N2—C15	124.59 (11)	C16'—C15—N2	117.0 (8)
C4—C3—C8	122.34 (12)	N2—C15—C16	114.35 (15)
C4—C3—N2	127.69 (12)	C16'—C15—H15A	112.9
C8—C3—N2	109.96 (11)	N2—C15—H15A	108.7
C3—C4—C5	117.03 (13)	C16—C15—H15A	108.7
C3—C4—H4	121.5	C16'—C15—H15B	101.4
C5—C4—H4	121.5	N2—C15—H15B	108.7
C6—C5—C4	121.55 (13)	C16—C15—H15B	108.7
C6—C5—H5	119.2	H15A—C15—H15B	107.6
C4—C5—H5	119.2	C21—C16—C17	119.6 (3)
C5—C6—C7	120.43 (13)	C21—C16—C17	121.4 (3)
C5—C6—H6	119.8	C17—C16—C15	118.9 (3)
C7—C6—H6	119.8	C16—C17—C18	119.8 (3)
C8—C7—C6	118.64 (13)	C16—C17—C18 C16—C17—H17	120.1
C8—C7—H7	120.7	C18—C17—H17	120.1
C6—C7—H7	120.7	C19—C18—C17	120.1
C7—C8—C3	119.95 (12)	C19—C18—H18	119.8
C7—C8—C9	131.44 (12)	C17—C18—H18	119.8
C3—C8—C9	108.58 (11)	C18—C19—C20	120.0 (3)
C9—O9—H9	109.5	C18—C19—C20 C18—C19—H19	120.0 (3)
09—C9—C8	112.56 (10)	C20—C19—H19	120.0
09—C9—C1	112.14 (10)	C19—C20—C21	120.0
C8—C9—C1	101.67 (9)	C19—C20—H20	119.9
09—C9—C10	110.23 (9)	C19—C20—H20 C21—C20—H20	119.9
C8—C9—C10	110.23 (9)	C16—C21—C20	120.0 (3)
C1—C9—C10	109.04 (9)	C16—C21—H21	120.0 (3)
N14—C10—C11	109.04 (9)	C10—C21—H21 C20—C21—H21	120.0
	` '		
N14—C10—C9 C11—C10—C9	110.50 (9) 112.80 (9)	C17'—C16'—C21'	117.0 (18) 120.0 (18)
N14—C10—H10	110.8	C17'—C16'—C15 C21'—C16'—C15	* *
		C16'—C17'—C18'	123.0 (16)
C11—C10—H10	110.8		122.8 (14)
C9—C10—H10 O11—C11—N12	110.8	C16'—C17'—H17'	118.6
	126.63 (11)	C18'—C17'—H17'	118.6
O11—C11—C10	123.45 (11)	C19'—C18'—C17'	117.6 (12)
N12—C11—C10	109.88 (10)	C19'—C18'—H18'	121.2
C13—N12—C11	105.83 (10)	C17'—C18'—H18'	121.2
C13—N13—H13A	120.0	C20'—C19'—C18'	120.5 (16)
C13—N13—H13B	120.0	C20'—C19'—H19'	119.8
H13A—N13—H13B	120.0	C18'—C19'—H19'	119.8
N13—C13—N14	122.37 (11)	C19'—C20'—C21'	119.9 (19)
N13—C13—N12	122.79 (11)	C19'—C20'—H20'	120.0
N14—C13—N12	114.84 (10)	C21'—C20'—H20'	120.0

C13—N14—C10	108.04 (9)	C16'—C21'—C20'	122.2 (19)
C13—N14—C14	125.31 (10)	C16'—C21'—H21'	118.9
C10—N14—C14	126.52 (10)	C20'—C21'—H21'	118.9
N14—C14—H14A	109.5		
O1—C1—N2—C3	-176.47 (11)	O11—C11—N12—C13	-179.47(11)
C9—C1—N2—C3	3.04 (13)	C10—C11—N12—C13	-1.45(12)
O1—C1—N2—C15	5.67 (19)	C11—N12—C13—N13	175.47 (11)
C9—C1—N2—C15	-174.83 (10)	C11—N12—C13—N14	-4.15 (13)
C1—N2—C3—C4	-179.33 (13)	N13—C13—N14—C10	-171.44(10)
C15—N2—C3—C4	-1.5(2)	N12—C13—N14—C10	8.18 (13)
C1—N2—C3—C8	1.47 (14)	N13—C13—N14—C14	12.39 (18)
C15—N2—C3—C8	179.33 (11)	N12—C13—N14—C14	-167.99 (10)
C8—C3—C4—C5	1.9 (2)	C11—C10—N14—C13	-7.92 (11)
N2—C3—C4—C5	-177.19 (13)	C9—C10—N14—C13	111.54 (10)
C3—C4—C5—C6	0.3 (2)	C11—C10—N14—C14	168.19 (10)
C4—C5—C6—C7	-1.5 (2)	C9—C10—N14—C14	-72.35 (14)
C5—C6—C7—C8	0.5 (2)	C1—N2—C15—C16′	-101.9 (9)
C6—C7—C8—C3	1.71 (19)	C3—N2—C15—C16′	80.6 (9)
C6—C7—C8—C9	-176.14 (13)	C1—N2—C15—C16	-109.52 (19)
C4—C3—C8—C7	-3.0 (2)	C3—N2—C15—C16	72.9 (2)
N2—C3—C8—C7	176.26 (11)	C16'—C15—C16—C21	-62 (8)
C4—C3—C8—C9	175.30 (12)	N2—C15—C16—C21	50.4 (3)
N2—C3—C9	-5.45 (14)	C16'—C15—C16—C17	113 (8)
C7—C8—C9—O9	-55.07 (17)	N2—C15—C16—C17	-134.8 (2)
C3—C8—C9—O9	126.90 (11)	C21—C16—C17—C18	0.11 (19)
C7—C8—C9—C1	-175.25 (13)	C15—C16—C17—C18	-174.8 (2)
C3—C8—C9—C1	6.72 (12)	C16—C17—C18—C19	-0.1 (2)
C7—C8—C9—C10	68.94 (17)	C17—C18—C19—C20	0.0 (4)
C3—C8—C9—C10	-109.09 (11)	C18—C19—C20—C21	0.1 (4)
O1—C1—C9—O9	53.15 (15)	C17—C16—C21—C20	0.0 (3)
N2—C1—C9—O9	-126.36 (11)	C15—C16—C21—C20	174.8 (2)
O1—C1—C9—C8	173.61 (11)	C19—C20—C21—C20 C19—C20—C21—C16	-0.1 (4)
N2—C1—C9—C8	-5.89 (12)	N2—C15—C16′—C17′	-161.4 (9)
O1—C1—C9—C10	-69.22 (15)	C16—C15—C16′—C17′	-91 (8)
N2—C1—C9—C10	111.28 (11)	N2—C15—C16′—C21′	22.3 (12)
O9—C9—C10—N14	67.00 (12)	C16—C15—C16′—C21′	93 (8)
C8—C9—C10—N14	-58.33 (12)	C21'—C16'—C17'—C18'	-0.1 (3)
C1—C9—C10—N14	-169.48 (10)	C15—C16′—C17′—C18′	-176.5 (14)
O9—C9—C10—C11	178.88 (9)	C16'—C17'—C18'—C19'	-0.1 (3)
C8—C9—C10—C11	53.55 (13)	C17'—C18'—C19'—C20'	0.2 (7)
C1—C9—C10—C11	-57.60 (12)	C18'—C19'—C20'—C21'	-0.2 (9)
N14—C10—C11—O11	-176.13 (11)	C17'—C16'—C21'—C20'	0.1 (7)
C9—C10—C11—O11	66.08 (14)	C15—C16′—C21′—C20′	176.5 (14)
N14—C10—C11—N12	5.78 (12)	C19'—C20'—C21'—C16'	0.0 (10)
C9—C10—C11—N12	-112.01 (11)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	D··· A	<i>D</i> —H··· <i>A</i>
O9—H9···N12 ⁱ	0.84	1.97	2.8065 (13)	175
N13—H13 <i>A</i> ···O11 ⁱⁱ	0.88	2.24	2.9321 (13)	135
N13—H13 <i>B</i> ····O1 ⁱⁱⁱ	0.88	1.97	2.8410 (14)	173

Symmetry codes: (i) -x+1, y-1/2, -z+3/2; (ii) x+1/2, y, -z+3/2; (iii) -x+1, y+1/2, -z+3/2.